# PHB





Prof (Dr) Upendra Singh (M. Pharm, Ph.D) Om Group of Colleges, Roorkee, Haridwar (U.K.)

OFFICE: BUILDING No. 3/314, OFFICE-1, GAUSHALA ROAD, SHAMLI DISTRICT SHAMLI (U.P.) – 247776 Mobile: +91-9719638415 Email: arvindrkgit@gmail.com, www.phbeducation.com

# **D. Pharm Exit Exam - 2024**

: D. Pharm
: Second Year
: Pharmacology
: Anti-psychotics drugs

#### **MULTIPLE CHIOCE QUESTION**

1. Which neurotransmitter system is primarily targeted by antipsychotic medications?

- A) Dopamine
- B) Serotonin
- C) Acetylcholine
- D) GABA

#### Answer: A) Dopamine

2. First-generation antipsychotics primarily block which type of dopamine receptors?

- A) D1 and D2
- B) D2 and D3
- C) D3 and D4
- D) D2 and D4

#### Answer: B) D2 and D3

**3.** Clozapine is known for its effectiveness in treating schizophrenia and its unique action on which neurotransmitter system?

- A) Dopamine
- B) Serotonin
- C) Norepinephrine
- D) Glutamate

#### **Answer: B) Serotonin**

**4.** Which of the following is a common side effect associated with first-generation antipsychotics?

- A) Weight gain
- B) Extrapyramidal symptoms (EPS)
- C) Sedation
- D) Orthostatic hypotension

#### Answer: B) Extrapyramidal symptoms (EPS)

- 5. Second-generation antipsychotics are also known as:
- A) Typical antipsychotics
- B) Atypical antipsychotics
- C) Dopamine agonists
- D) Serotonin reuptake inhibitors

## Answer: B) Atypical antipsychotics

**6.** Which of the following is a common side effect associated with second-generation antipsychotics?

- A) Tardive dyskinesia
- B) Neuroleptic malignant syndrome (NMS)
- C) Metabolic syndrome
- D) Anticholinergic effects

# Answer: C) Metabolic syndrome

**7.** Which first-generation antipsychotic is often used as a depot injection for long-term maintenance therapy?

- A) Haloperidol
- B) Chlorpromazine
- C) Fluphenazine
- D) Thioridazine

# Answer: C) Fluphenazine

**8.** Agranulocytosis is a potentially life-threatening side effect associated with which atypical antipsychotic?

- A) Risperidone
- B) Olanzapine
- C) Quetiapine
- D) Clozapine

# Answer: D) Clozapine

**9.** Which atypical antipsychotic is often used as a first-line treatment for bipolar disorder?

- A) Aripiprazole
- B) Olanzapine
- C) Quetiapine
- D) Ziprasidone

#### Answer: B) Olanzapine

**10.** Which neurotransmitter besides dopamine and serotonin is targeted by some atypical antipsychotics?

- A) GABA
- B) Glutamate
- C) Acetylcholine
- D) Norepinephrine

#### Answer: B) Glutamate

**11.** Which atypical antipsychotic is associated with a lower risk of weight gain compared to others in its class?

- A) Risperidone
- B) Clozapine
- C) Olanzapine
- D) Aripiprazole

## Answer: D) Aripiprazole

**12.** Which of the following is a common extrapyramidal side effect associated with typical antipsychotics?

- A) Tardive dyskinesia
- B) Neuroleptic malignant syndrome (NMS)
- C) Akathisia
- D) Metabolic syndrome

#### Answer: C) Akathisia

- 13. Ziprasidone (Geodon) is known for its potential side effect of:
- A) Extrapyramidal symptoms (EPS)
- B) QT prolongation
- C) Metabolic syndrome
- D) Agranulocytosis

#### Answer: B) QT prolongation

**14.** Which atypical antipsychotic is often used as an adjunctive treatment for major depressive disorder?

- A) Risperidone
- B) Quetiapine
- C) Aripiprazole
- D) Clozapine

#### Answer: B) Quetiapine

**15.** Which atypical antipsychotic is associated with a high risk of orthostatic hypotension?

- A) Aripiprazole
- B) Risperidone
- C) Clozapine
- D) Quetiapine

# Answer: D) Quetiapine

**16.** Which of the following is a potential side effect of clozapine that requires regular monitoring?

- A) Hyperprolactinemia
- B) Liver function abnormalities
- C) Myocarditis
- D) Agranulocytosis

#### Answer: D) Agranulocytosis

**17.** Which typical antipsychotic is associated with a high risk of causing tardive dyskinesia?

- A) Chlorpromazine
- B) Haloperidol
- C) Thioridazine
- D) Fluphenazine

#### Answer: B) Haloperidol

**18.** Which atypical antipsychotic has a unique mechanism of action as a partial dopamine agonist?

- A) Olanzapine
- B) Risperidone
- C) Aripiprazole
- D) Ziprasidone

#### Answer: C) Aripiprazole

**19.** Which second-generation antipsychotic is often used for the treatment of schizophrenia and bipolar disorder?

- A) Olanzapine
- B) Risperidone
- C) Quetiapine
- D) Clozapine

#### Answer: A) Olanzapine

**20.** Which atypical antipsychotic is available in a long-acting injectable formulation for maintenance therapy?

A) Aripiprazole

- B) Olanzapine
- C) Risperidone
- D) Paliperidone

#### Answer: D) Paliperidone