PHB





Miss. Avnica Tyagi [M. Pharm, Ph.D. (Pur.)] Associate Professor Shri Ram College of Pharmacy, Muzaffarnagar (U.P.)

OFFICE: BUILDING No. 3/314, OFFICE-1, GAUSHALA ROAD, SHAMLI DISTRICT SHAMLI (U.P.) – 247776 Mobile: +91-9719638415 Email: arvindrkgit@gmail.com

D. Pharm Exit Exam 2024

Course Name	: D. Pharm
Year	: First Year
Subject Name	: Pharmaceutical Chemistry
Topic Name	: Antipsychotics

MULTIPLE CHIOCE QUESTIONS

- 1. What is the definition of antipsychotics?
 - a) Drugs used to treat anxiety disorders
 - b) Medications used to manage psychotic symptoms
 - c) Agents for reducing blood pressure
 - d) Medicines for treating bacterial infections
 - Answer: b) Medications used to manage psychotic symptoms

2. Antipsychotics are primarily classified into which category based on their chemical structure?

- a) Benzodiazepines
- b) Antidepressants
- c) Phenothiazines
- d) NSAIDs

Answer: c) Phenothiazines

- 3. Which of the following is NOT a mode of action of antipsychotic drugs?
 - a) Dopamine receptor blockade
 - b) Serotonin receptor blockade
 - c) GABA receptor activation
 - d) Histamine receptor blockade

Answer: c) GABA receptor activation

- 4. What are the primary uses of antipsychotic medications?
 - a) Treatment of depression
 - b) Management of anxiety disorders
 - c) Control of psychotic symptoms
 - d) Relief of pain

Answer: c) Control of psychotic symptoms

- 5. How should antipsychotic medications be stored?
 - a) In direct sunlight
 - b) At room temperature
 - c) In the freezer
 - d) In a humid environment
 - Answer: b) At room temperature
- 6. Which class of antipsychotic drugs has a higher risk of extrapyramidal side effects?
 - a) First-generation antipsychotics
 - b) Second-generation antipsychotics
 - c) Third-generation antipsychotics

d) Benzodiazepines

Answer: a) First-generation antipsychotics

- 7. Clozapine belongs to which generation of antipsychotic drugs?
 - a) First-generation
 - b) Second-generation
 - c) Third-generation
 - d) Fourth-generation

Answer: b) Second-generation

- 8. Which neurotransmitter system is primarily targeted by antipsychotic medications?
 - a) Dopamine
 - b) Serotonin
 - c) GABA
 - d) Acetylcholine
 - Answer: a) Dopamine
- 9. Antipsychotics are commonly used in the treatment of which disorder?
 - a) Obsessive-compulsive disorder (OCD)
 - b) Bipolar disorder
 - c) Social anxiety disorder
 - d) Attention-deficit/hyperactivity disorder (ADHD)
 - Answer: b) Bipolar disorder
- **10.** Which antipsychotic drug is associated with a risk of agranulocytosis and requires regular blood monitoring?
 - a) Haloperidol
 - b) Risperidone
 - c) Quetiapine
 - d) Clozapine
 - Answer: d) Clozapine

11. Olanzapine is commonly used to treat which symptom associated with schizophrenia?

- a) Hallucinations
- b) Delusions
- c) Negative symptoms
- d) Mania

Answer: d) Mania

- 12. What is the mechanism of action of first-generation antipsychotics?
 - a) Dopamine D2 receptor blockade
 - b) Serotonin receptor blockade
 - c) Norepinephrine reuptake inhibition
 - d) GABA receptor activation
 - Answer: a) Dopamine D2 receptor blockade

13. Which antipsychotic drug is known for its long-acting injectable formulation?

- a) Aripiprazole
- b) Lurasidone
- c) Paliperidone
- d) Ziprasidone

Answer: c) Paliperidone

14. Quetiapine is commonly used in the treatment of which condition?

- a) Bipolar disorder
- b) Major depressive disorder
- c) Generalized anxiety disorder
- d) Schizophrenia
- Answer: a) Bipolar disorder

15. Which antipsychotic medication has a unique mechanism of action involving partial agonism at dopamine D2 and serotonin 5-HT1A receptors?

- a) Risperidone
- b) Aripiprazole
- c) Clozapine
- d) Haloperidol
- Answer: b) Aripiprazole

16. Which of the following side effects is NOT commonly associated with antipsychotic medications?

- a) Extrapyramidal symptoms
- b) Weight gain
- c) Sedation
- d) Hypertension
- Answer: d) Hypertension

17. Which antipsychotic medication has a black box warning for QT prolongation?

- a) Olanzapine
- b) Quetiapine
- c) Clozapine

d) Ziprasidone

Answer: d) Ziprasidone

18. A patient develops tardive dyskinesia after long-term use of an antipsychotic. Which class of antipsychotics is most commonly associated with this side effect?

- a) First-generation antipsychotics
- b) Second-generation antipsychotics
- c) Third-generation antipsychotics
- d) Benzodiazepines

Answer: a) First-generation antipsychotics

19. Which antipsychotic medication is commonly used as an adjunctive treatment for major depressive disorder?

a) Aripiprazole

b) Lurasidone

c) Risperidone

d) Quetiapine

Answer: d) Quetiapine

20. Which antipsychotic medication has a relatively low risk of metabolic side effects compared to other second-generation antipsychotics?

a) Olanzapine

b) Clozapine

c) Aripiprazole

d) Risperidone

Answer: c) Aripiprazole